2021 Surgical Critical Care: All References

Below you will find the topics and their accompanying references for the 2021 Surgical Critical Care Continuous Certification Assessment. References that are available open source are indicated with a green star ★and the entire citation is a link to the open access source. References that are not available open access have a link in their PubMed ID to the abstract.

Diplomates are neither required nor expected to read all of these references before or during the completion of the assessment.

Biostatistics:

★ Nuovo J, Melnikow J, Chang D. Reporting number needed to treat and absolute risk reduction in randomized controlled trials. *JAMA*. 2002;287(21):2813-2814.
[PMID: 12038920]

★ Chatellier G, Zapletal E, Lemaitre D, Menard J, Degoulet P. The number needed to treat: a clinically useful nomogram in its proper context [published correction appears in *BMJ* 1996 Mar 2;312(7030):563]. *BMJ*. 1996;312(7028):426-429.
[PMID: 8601116]

Burns and Smoke Inhalation Injuries:

- Deutsch CJ, Tan A, Smailes S, Dziewulski P. The diagnosis and management of inhalation injury: an evidence-based approach. *Burns*. 2018;44(5):1040-1051.
[PMID: 29398078]

Cardiac Arrest:

★ Society of Thoracic Surgeons Task Force on Resuscitation After Cardiac Surgery. The Society of Thoracic Surgeons expert consensus for the resuscitation of patients who arrest after cardiac surgery. *Ann Thorac Surg*. 2017;103(3):1005-1020.
[PMID: 28122680]

Cardiac Surgery, Early Postoperative Management:

★ Society of Thoracic Surgeons Task Force on Resuscitation After Cardiac Surgery. The Society of Thoracic Surgeons expert consensus for the resuscitation of patients who arrest after cardiac surgery. *Ann Thoracic Surgery*. 2017;103(3):1005-1020.
[PMID: 28122680]

★ Neumar RW, Otto CW, Link MS, et al. Part 8: adult advanced cardiovascular life support: 2010 American Heart Association guidelines for cardiopulmonary resuscitation and emergency cardiovascular care. *Circulation*. 2010;122(18)(suppl 3):S729-S767.
[PMID: 20956224]

★ Lockowandt U, Levine A, Strang T, Dunning J. If a patient arrests after cardiac surgery is it acceptable to delay cardiopulmonary resuscitation until you have attempted either defibrillation or pacing? *Interact Cardiovasc Thorac Surg*. 2008;7(5):878-885.
[PMID: 18544586]

Cardiac Wounds:

- Gonzalez-Hadad A, García AF, Serna JJ, Herrera MA, Morales M, Manzano-Nunez R. The role of ultrasound for detecting occult penetrating cardiac wounds in hemodynamically stable patients. *World J Surg*. 2020;44(5):1673-1680.
[PMID: 31933039]

★ Baker L, Almadani A, Ball CG. False negative pericardial focused assessment with sonography for trauma examination following cardiac rupture from blunt thoracic trauma: a case report. *J Med Case Rep*. 2015;9:155. Published 2015 Jul 15.
[PMID: 26152189]

- Nicol AJ, Navsaria PH, Beningfield S, Hommes M, Kahn D. Screening for occult penetrating cardiac injuries. *Ann Surg*. 2015;261(3):573-578.
[PMID: 25664535]

Cardiogenic Shock:

★ Amin HZ, Amin LZ, Pradipta A. Takotsubo cardiomyopathy: a brief review. *J Med Life*. 2020;13(1):3-7.
[PMID: 32341693]

- Dawson DK. Acute stress-induced (takotsubo) cardiomyopathy. *Heart*. 2018;104(2):96-102.
[PMID: 28824005]

ECMO:

★ Zonies D, Codner P, Park P, et al. AAST Critical Care Committee clinical consensus: ECMO, nutrition. *Trauma Surg Acute Care Open*. 2019;4(1):e000304. Published 2019 Apr 3.
[PMID: 31058243]

★ Peek GJ, Clemens F, Elbourne D, et al. CESAR: conventional ventilatory support vs extracorporeal membrane oxygenation for severe adult respiratory failure. *BMC Health Serv Res*. 2006;6:163. Published 2006 Dec 23.
[PMID: 17187683]

★ Kolla S, Awad SS, Rich PB, Schreiner RJ, Hirschl RB, Bartlett RH. Extracorporeal life support for 100 adult patients with severe respiratory failure. *Ann Surg*. 1997;226(4):544-566.
[PMID: 9351722]

★ Martucci G, Panarello G, Bertani A, Occhipinti G, Pintaudi S, Arcadipane A. Venovenous ECMO in ARDS after post-traumatic pneumonectomy. *Intensive Care Med*. 2013;39(12):2235-2236.
[PMID: 24081437]

★ Gothner M, Buchwald D, Strauch JT, Schildhauer TA, Swol J. The use of double lumen cannula for veno-venous ECMO in trauma patients with ARDS. *Scand J Trauma Resusc Emerg Med*. 2015;23:30. Published 2015 Mar 28.
[PMID: 25886755]

- Burke CR, Crown A, Chan T, McMullan DM. Extracorporeal life support is safe in trauma patients. *Injury*. 2017;48(1):121-126.
[PMID: 27866648]

★ Bonacchi M, Spina R, Torracchi L, Harmelin G, Sani G, Peris A. Extracorporeal life support in patients with severe trauma: an advanced treatment strategy for refractory clinical settings. *J Thorac Cardiovasc Surg*. 2013;145(6):1617-1626.
[PMID: 22982033]

★ Combes A, Peek GJ, Hajage D, et al. ECMO for severe ARDS: systematic review and individual patient data meta-analysis. *Intensive Care Med*. 2020;46(11):2048-2057.
[PMID: 33021684]

★ Combes A, Hajage D, Capellier G, et al. Extracorporeal membrane oxygenation for severe acute respiratory distress syndrome. *N Engl J Med*. 2018;378(21):1965-1975.
[PMID: 29791822]

- Peek GJ, Mugford M, Tiruvoipati R, et al. Efficacy and economic assessment of conventional ventilatory support versus extracorporeal membrane oxygenation for severe adult respiratory failure (CESAR): a multicentre randomised controlled trial [published correction appears in *Lancet*. 2009 Oct 17;374(9698):1330]. *Lancet*. 2009;374(9698):1351-1363.
[PMID: 19762075]

Electrolyte Disorders:

★ Seay NW, Lehrich RW, Greenberg A. Diagnosis and management of disorders of body tonicity-hyponatremia and hypernatremia: core curriculum 2020. *Am J Kidney Dis*. 2020;75(2):272-286.
[PMID: 31606238]

★ Hoorn EJ, Zietse R. Diagnosis and treatment of hyponatremia: compilation of the guidelines. *J Am Soc Nephrol*. 2017;28(5):1340-1349.
[PMID: 28174217]

★ Rondon-Berrios H. Therapeutic relowering of plasma sodium after overly rapid correction of hyponatremia: What is the evidence? *Clin J Am Soc Nephrol*. 2020;15(2):282-284.
[PMID: 31601554]

Gastrointestinal Bleeding, Lower:

★ Wells ML, Hansel SL, Bruining DH, et al. CT for evaluation of acute gastrointestinal bleeding. *Radiographics.* 2018;38(4):1089-1107.
[PMID: 29883267]

★ Carney BW, Khatri G, Shenoy-Bhangle AS. The role of imaging in gastrointestinal bleed. *Cardiovasc Diagn Ther*. 2019;9(Suppl 1):S88-S96.
[PMID: 31559156]

Gastrointestinal Bleeding, Upper:

★ Zanetto A, Garcia-Tsao G. Management of acute variceal hemorrhage. *F1000Res*. 2019;8:F1000 Faculty Rev-966. Published 2019 Jun 25.
[PMID: 31281637]

- Edelson J, Basso JE, Rockey DC. Updated strategies in the management of acute variceal haemorrhage. *Curr Opin Gastroenterol*. 2021;37(3):167-172.
[PMID: 33769373]

Hemolytic Disorders, Acute:

★ O'Donnell JS, Lavin M. Perioperative management of patients with von Willebrand disease. *Hematology Am Soc Hematol Educ Program*. 2019;2019(1):604-609.
[PMID: 31808837]

★ Takeda Pharmaceutical Company Limited. VONVENDI®. Package Insert FDA Safety Guidelines.

★ Connell NT, Flood VH, Brignardello-Petersen R, et al. ASH ISTH NHF WFH 2021 guidelines on the management of von Willebrand disease. *Blood Adv*. 2021;5(1):301-325.
[PMID: 33570647]

★ Miesbach W. Perioperative management for patients with von Willebrand disease: defining the optimal approach. *Eur J Haematol*. 2020;105(4):365-377.
[PMID: 32496614]

Infectious Diseases:

★ Kalil AC, Metersky ML, Klompas M, et al. Management of adults with hospital-acquired and ventilator-associated pneumonia: 2016 clinical practice guidelines by the Infectious Disease Society of America and the American Thoracic Society. *Clin Infect Dis*. 2016;63(5):e61-e111. [PMID: 27418577]

- Martin-Loeches I, Rodriguez AH, Torres A. New guidelines for hospital-acquired pneumonia/ventilator-associated pneumonia: USA vs. Europe. *Curr Opin Crit Care*. 2018;24(5):347-352. [PMID: 30063491]

★ Sartelli M, Duane TM, Catena F, et al. Antimicrobial stewardship: a call to action for surgeons. *Surg Infect* (Larchmt). 2016;17(6):625-631. [PMID: 27828764]

★ Sawyer RG, Claridge JA, Nathens AB, et al. Trial of short-course antimicrobial therapy for intraabdominal infection [published correction appears in *N Engl J Med*. 2018 Jan 25;:null]. *N Engl J Med*. 2015;372(21):1996-2005. [PMID: 25992746]

★ Mazuski JE, Tessier JM, May AK, et al. The Surgical Infection Society revised guidelines on the management of intra-abdominal infection. *Surg Infect* (Larchmt). 2017;18(1):1-76. [PMID: 28085573]

★ Infectious Diseases Society of America Guidance on the Treatment of Antimicrobial Resistant Gram-Negative Infections.

★ Lelievre L, Garcia-Hermoso D, Abdoul H, et al. Posttraumatic mucormycosis: a nationwide study in France and review of the literature. *Medicine* (Baltimore). 2014;93(24):395-404. [PMID: 25500709]

★ McCarthy M, Rosengart A, Schuetz AN, Kontoyiannis DP, Walsh TJ. Mold infections of the central nervous system. *N Engl J Med*. 2014;371(2):150-160. [PMID: 25006721]

★ Kronen R, Liang SY, Bochicchio G, Bochicchio K, Powderly WG, Spec A. Invasive fungal infections secondary to traumatic injury. *Int J Infect Dis*. 2017;62:102-111. [PMID: 28705753]

Monitoring, Brain:

★ Hawryluk GWJ, Aguilera S, Buki A, et al. A management algorithm for patients with intracranial pressure monitoring: the Seattle International Severe Traumatic Brain Injury Consensus Conference (SIBICC). *Intensive Care Med*. 2019;45(12):1783-1794.
[PMID: 31659383]

- Godoy DA, Lubillo S, Rabinstein AA. Pathophysiology and management of intracranial hypertension and tissular brain hypoxia after severe traumatic brain injury: an integrative approach. *Neurosurg Clin N Am*. 2018;29(2):195-212.
[PMID: 29502711]

★ Le Roux P, Menon DK, Citerio G, et al. Consensus summary statement of the international multidisciplinary consensus conference on multimodality monitoring in neurocritical care: a statement for healthcare professionals from the Neurocritical Care Society and the European Society of Intensive Care Medicine. *Intensive Care Med*. 2014;40(9):1189-1209.
[PMID: 25138226]

Monitoring, Hemodynamic:

★ Rhodes A, Evans LE, Alhazzani W, et al. Surviving Sepsis Campaign: international guidelines for management of sepsis and septic shock: 2016. *Intensive Care Med*. 2017;43(3):304-377.
[PMID: 28101605]

- Reuter DA, Kirchner A, Felbinger TW, et al. Usefulness of left ventricular stroke volume variation to assess fluid responsiveness in patients with reduced cardiac function. *Crit Care Med*. 2003;31(5):1399-1404.
[PMID: 12771609]

★ Semler MW, Self WH, Wanderer JP, et al. Balanced crystalloids versus saline in critically ill adults. *N Engl J Med*. 2018;378(9):829-839.
[PMID: 29485925]

★ Caironi P, Tognoni G, Masson S, et al. Albumin replacement in patients with severe sepsis or septic shock. *N Engl J Med*. 2014;370(15):1412-1421.
[PMID: 24635772]

★ Pulmonary artery catheter. Radiology Case.

★ Bootsma IT, Boerma EC, de Lange F, Scheeren TWL. The contemporary pulmonary artery catheter. Part 1: placement and waveform analysis [published online ahead of print, 2021 Feb 10]. *J Clin Monit Comput*. 2021;10.1007/s10877-021-00662-8.
[PMID: 33564995]

- Kelly CR, Rabbani LE. Videos in clinical medicine. Pulmonary-artery catheterization. *N Engl J Med*. 2013;369(25):e35.
  [PMID: 24350972]

★ Teboul JL, Monnet X, Chemla D, Michard F. Arterial pulse pressure variation with mechanical ventilation. *Am J Respir Crit Care Med*. 2019;199(1):22-31.
[PMID: 30138573]

★ Bednarczyk JM, Fridfinnson JA, Kumar A, et al. Incorporating dynamic assessment of fluid responsiveness into goal-directed therapy: a systematic review and meta-analysis. *Crit Care Med*. 2017;45(9):1538-1545.
[PMID: 28817481]

- Marik PE, Cavallazzi R, Vasu T, Hirani A. Dynamic changes in arterial waveform derived variables and fluid responsiveness in mechanically ventilated patients: a systematic review of the literature. *Crit Care Med*. 2009;37(9):2642-2647.
  [PMID: 19602972]

Monitoring, Respiratory:

★ Brochard L, Martin GS, Blanch L, et al. Clinical review: respiratory monitoring in the ICU - a consensus of 16. *Critical Care*. 2012;16(2):219.
[PMID: 22546221]

Nutritional Requirements:

★ Moonen HPFX, Beckers KJH, van Zanten ARH. Energy expenditure and indirect calorimetry in critical illness and convalescence: current evidence and practical considerations. *J Intensive Care*. 2021;9(1):8. Published 2021 Jan 12.
[PMID: 33436084]

★ Duan JY, Zheng WH, Zhou H, Xu Y, Huang HB. Energy delivery guided by indirect calorimetry in critically ill patients: a systematic review and meta-analysis. *Crit Care*. 2021;25(1):88. Published 2021 Feb 27.
[PMID: 33639997]

- Achamrah N, Delsoglio M, De Waele E, Berger MM, Pichard C. Indirect calorimetry: the 6 main issues. *Clin Nutr*. 2021;40(1):4-14.
  [PMID: 32709554]

Organ Transplantation and Donation:

- Steinbrook R. Organ donation after cardiac death. *N Engl J Med*. 2007;357(3):209-213.
  [PMID: 17634455]

★ Rajab TK, Singh SK. Donation after cardiac death heart transplantation in America is clinically necessary and ethically justified. *Circ Heart Fail*. 2018;11(3):e004884.
[PMID: 29664408]

- A definition of irreversible coma. Report of the ad hoc committee of the Harvard Medical School to examine the definition of brain death. *JAMA*. 1968;205(6):337-340.
[PMID: 5694976]

★ Patel MS, Zatarain J, De La Cruz S, et al. The impact of meeting donor management goals on the number of organs transplanted per expanded criteria donor: a prospective study from the UNOS Region 5 Donor Management Goals Workgroup. *JAMA Surg*. 2014;149(9):969-975.
[PMID: 25054379]

- Frenette AJ, Williamson D, Weiss MJ, et al. Worldwide management of donors after neurological death: a systematic review and narrative synthesis of guidelines. Prise en charge des donneurs après un décès neurologique dans le monde : revue systématique et synthèse narrative des lignes directrices. *Can J Anaesth*. 2020;67(12):1839-1857.
[PMID: 32949008]

- Kotloff RM, Blosser S, Fulda GJ, et al. Management of the potential organ donor in the ICU: Society of Critical Care Medicine/American College of Chest Physicians/Association of Organ Procurement Organizations consensus statement. *Crit Care Med*. 2015;43(6):1291-1325.
[PMID: 25978154]

Pain Management and Sedation:

★ Devlin JW, Skrobik Y, Gélinas C, et al. Executive summary: clinical practice guidelines for the prevention and management of pain, agitation/sedation, delirium, immobility, and sleep disruption in adult patients in the ICU. *Crit Care Med*. 2018;46(9):e825-e873.
[PMID: 30113371]

★ Losing AK, Jones JM, Keric A, Briggs SE, Leedahl DD. Ketamine infusion therapy as an alternative pain control strategy in patients with multi-trauma including rib fracture; case report and literature review. *Bull Emerg Trauma*. 2016;4(3):165-169.
[PMID: 27540552]

- Carver TW, Kugler NW, Juul J, et al. Ketamine infusion for pain control in adult patients with multiple rib fractures: results of a randomized control trial. *J Trauma Acute Care Surg*. 2019;86(2):181-188.
[PMID: 30376537]

★ Devlin JW, Skrobik Y, Gélinas C, et al. Clinical practice guidelines for the prevention and management of pain, agitation/sedation, delirium, immobility, and sleep disruption in adult patients in the ICU. *Crit Care Med*. 2018;46(9):e825-e873.
[PMID: 30113379]

★ Truitt MS, Mooty RC, Amos J, Lorenzo M, Mangram A, Dunn E. Out with the old, in with the new: a novel approach to treating pain associated with rib fractures. *World J Surg*. 2010;34(10):2359-2362.
[PMID: 20567973]

Patients' Rights:

★ Gillon R. Where respect for autonomy is not the answer. *Br Med J (Clin Res Ed)*. 1986;292(6512):48-49.
[PMID: 3080063]

★ De Roubaix JA. Beneficence, non-maleficence, distributive justice and respect for patient autonomy--reconcilable ends in aesthetic surgery? *J Plast Reconstr Aesthet Surg*. 2011;64(1):11-16.
[PMID: 20457018]

★ Stone EG. Evidence-based medicine and bioethics: implications for health care organizations, clinicians, and patients. *Perm J*. 2018;22:18-30.

Patient Safety and Systems of Care:

★ Silver SA, Harel Z, McQuillan R, et al. How to begin a quality improvement project. *Clin J Am Soc Nephrol*. 2016;11(5):893-900.
[PMID: 27016497]

★ Practice Facilitation Handbook. Module 4: Approaches to Quality Improvement. Agency for Healthcare Research and Quality.

- Langley G J., Moen R D., Nolan K M., Nolan T W., Norman C L., Provost L P. *The Improvement Guide*. Jossey-Bass; 2009.

Pharmacokinetics:

- Smith BS, Yogaratnam D, Levasseur-Franklin KE, Forni A, Fong J. Introduction to drug pharmacokinetics in the critically ill patient. *Chest*. 2012;141(5):1327-1336.
[PMID: 22553267]

★ Serio AW, Keepers T, Andrews L, Krause KM. Aminoglycoside revival: review of a historically important class of antimicrobials undergoing rejuvenation. *EcoSal Plus*. 2018;8(1):10.1128/ecosalplus.ESP-0002-2018.
[PMID: 30447062]

Physical Rehabilitation of the Critically Ill:

- Mayer KP, Joseph-Isang E, Robinson LE, Parry SM, Morris PE, Neyra JA. Safety and feasibility of physical rehabilitation and active mobilization in patients requiring continuous renal replacement therapy: a systematic review. *Crit Care Med*. 2020;48(11):e1112-e1120. [PMID: 33001619]
- Talley CL, Wonnacott RO, Schuette JK, Jamieson J, Heung M. Extending the benefits of early mobility to critically ill patients undergoing continuous renal replacement therapy: the Michigan experience. *Crit Care Nurs Q*. 2013;36(1):89-100. [PMID 23221445]

Prognostic Indices and Severity Scores:

★ Singer M, Deutschman CS, Seymour CW, et al. The third international consensus definitions for sepsis and septic shock (Sepsis-3). *JAMA*. 2016;315(8):801-810. [PMID: 26903338]

★ Seymour CW, Liu VX, Iwashyna TJ, et al. Assessment of clinical criteria for sepsis: for the third international consensus definitions for sepsis and septic shock (Sepsis-3) [published correction appears in *JAMA*. 2016 May 24-31;315(20):2237]. *JAMA*. 2016;315(8):762-774. [PMID: 26903335]

★ Khuri SF, Daley J, Henderson WG. The comparative assessment and improvement of quality of surgical care in the Department of Veterans Affairs. *Arch Surg*. 2002;137(1):20-27. [PMID: 11772210]

Respiratory Failure, Acute:

★ Chao TN, Harbison SP, Braslow BM, et al. Outcomes after tracheostomy in COVID-19 patients. *Ann Surg*. 2020;272(3):e181-e186. [PMID: 32541213]

★ Michetti CP, Burlew CC, Bulger EM, Davis KA, Spain DA; Critical Care and Acute Care Surgery Committees of the American Association for the Surgery of Trauma. Performing tracheostomy during the covid-19 pandemic: guidance and recommendations from the Critical Care and Acute Care Surgery Committees of the American Association for the Surgery of Trauma. *Trauma Surg Acute Care Open*. 2020;5(1):e000482. Published 2020 Apr 15. [PMID: 32368620]

Respiratory Failure:

★ Frat JP, Thille W, Mercat A, et al. High-flow oxygen through nasal cannula in acute hypoxemic respiratory failure. *N Engl J Med*. 2015;372(23):2185-2196.
[PMID: 25981908]

- Ni YN, Luo J, Yu H, et al. Can high-flow nasal cannula reduce the rate of endotracheal intubation in adult patients with acute respiratory failure compared with conventional oxygen therapy and noninvasive positive-pressure ventilation?: a systematic review and meta-analysis. *Chest*. 2017;151(4):764-775.
[PMID: 28089816]

★ Nishimura M. High-flow nasal cannula oxygen therapy in adults: physiological benefits, indication, clinical benefits, and adverse effects. *Respir Care*. 2016;61(4):529-541.
[PMID: 27016353]

★ Drake MG. High-flow nasal cannula oxygen in adults: an evidence-based assessment. *Ann Am Thorac Soc*. 2018;15(2):145-155.
[PMID: 29144160]

Septic Shock:

★ Annane D, Renault A, Brun-Buisson C, et al. Hydrocortisone plus fludrocortisone for adults with septic shock. *N Engl J Med*. 2018;378(9):809-818.
[PMID: 29490185]

★ Sprung CL, Annane D, Keh D, et al. Hydrocortisone therapy for patients with septic shock. *N Engl J Med*. 2008;358(2):111-124.
[PMID: 18184957]

★ De Backer D, Biston P, Devriendt J, et al. Comparison of dopamine and norepinephrine in the treatment of shock. *N Engl J Med*. 2010;362(9):779-789.
[PMID: 20200382]

★ Fang F, Zhang Y, Tang J, et al. Association of corticosteroid treatment with outcomes in adult patients with sepsis: a systematic review and meta-analysis. *JAMA Intern Med*. 2019;179(2):213-223.
[PMID: 30575845]

★ Genetech, Inc. ACTEMRA (tocilizumab). Prescribing Information. 2020.

★ Rhodes A, Evans LE, Alhazzani W, et al. Surviving sepsis campaign: international guidelines for management of sepsis and septic shock: 2016. *Crit Care Med*. 2017;45(3):486-552.
[PMID: 28101605]

★ National Heart, Lung, and Blood Institute Acute Respiratory Distress Syndrome (ARDS) Clinical Trials Network, Wheeler AP, Bernard GR, et al. Pulmonary-artery versus central venous catheter to guide treatment of acute lung injury. *N Engl J Med*. 2006;354(21):2213-2224. [PMID: 16714768]

★ Rivers E, Nguyen B, Havstad S, et al. Early goal-directed therapy in the treatment of severe sepsis and septic shock. *N Engl J Med*. 2001;345(19):1368-1377. [PMID: 11794169]

★ Douglas IS, Alapat PM, Corl KA, et al. Fluid response evaluation in sepsis hypotension and shock: a randomized clinical trial. *Chest*. 2020;158(4):1431-1445. [PMID: 32353418]

★ PRISM Investigators, Rowan KM, Angus DC, et al. Early, goal-directed therapy for septic shock - a patient-level meta-analysis. *N Engl J Med*. 2017;376(23):2223-2234. [PMID: 28320242]

- Chew MS, Åneman A. Haemodynamic monitoring using arterial waveform analysis. *Curr Opin Crit Care*. 2013;19(3):234-241. [PMID: 23549299]

Traumatic Brain Injury:

★ Hawryluk GWJ, Aguilera S, Buki A, et al. A management algorithm for patients with intracranial pressure monitoring: the Seattle International Severe Traumatic Brain Injury Consensus Conference (SIBICC). *Intensive Care Med*. 2019;45(12):1783-1794. [PMID: 31659383]

★ Carney N, Totten AM, O'Reilly C, et al. Guidelines for the management of severe traumatic brain injury, Fourth edition. *Neurosurgery*. 2017;80(1):6-15. [PMID: 27654000]

★ Schizodimos T, Soulountsi V, Iasonidou C, Kapravelos N. An overview of management of intracranial hypertension in the intensive care unit. *J Anesth*. 2020;34(5):741-757. [PMID: 32440802]

★ ACS TQIP: Best Practices in the Management of Traumatic Brain Injury. American College of Surgeons. January 2015.

Vascular Access:

★ Blasi A. Coagulopathy in liver disease: lack of an assessment tool. *World J Gastroenterol*. 2015;21(35):10062-10071. [PMID: 26401071]

Ventilation, Mechanical:

★ De Santis Santiago R, Teggia Droghi M, Fumagalli J, et al. High pleural pressure prevents alveolar overdistension and hemodynamic collapse in ARDS with class III obesity [published online ahead of print, 2020 Sep 2]. *Am J Respir Crit Care Med*. 2020;203(5):575-584.
[PMID: 32876469]

★ Fan E, Del Sorbo L, Goligher EC, et al. An official American Thoracic Society/European Society of Intensive Care Medicine/Society of Critical Care Medicine clinical practice guideline: mechanical ventilation in adult patients with acute respiratory distress syndrome [published correction appears in *Am J Respir Crit Care Med*. 2017 Jun 1;195(11):1540]. *Am J Respir Crit Care Med*. 2017;195(9):1253-1263.
[PMID: 28459336]

★ Girard TD, Alhazzani W, Kress JP, et al. An official American Thoracic Society/American College of Chest Physicians clinical practice guideline: liberation from mechanical ventilation in critically ill adults. Rehabilitation protocols, ventilator liberation protocols, and cuff leak tests. *Am J Respir Crit Care Med*. 2017;195(1):120-133.
[PMID: 27762595]

★ Ding LW, Wang HC, Wu HD, Chang CJ, Yang PC. Laryngeal ultrasound: a useful method in predicting post-extubation stridor. A pilot study. *Eur Respir J*. 2006;27(2):384-389.
[PMID: 16452597]

★ Khemani RG, Randolph A, Markovitz B. Corticosteroids for the prevention and treatment of post-extubation stridor in neonates, children and adults. *Cochrane Database Syst Rev*. 2009;2009(3):CD001000. Published 2009 Jul 8.
[PMID: 19588321]

★ Kuriyama A, Jackson JL, Kamei J. Performance of the cuff leak test in adults in predicting post-extubation airway complications: a systematic review and meta-analysis. *Crit Care*. 2020;24(1):640. Published 2020 Nov 7.
[PMID: 33160405]