



2022 Complex General Surgical Oncology:

All References

Below you will find the topics and their accompanying references for the 2022 Complex General Surgical Oncology Continuous Certification Assessment. **Diplomates are neither required nor expected to read all of these references before or during the completion of the assessment.** The Key References are marked with a yellow star★ below.

Please note that not all references will be free-to-access at this time. The American Board of Surgery is working to provide diplomates with improved access to articles in future years by communicating with publishers and rightsholders.

Adrenocortical Carcinoma

- Bradley CT, Strong VE. Surgical management of adrenal metastases. *J Surg Oncol*. 2014;109(1):31-35. [PMID: [24338382](#)]
- DeLozier OM, Dickson PV. ASO author reflections: conversion during attempted minimally invasive adrenalectomy for adrenocortical carcinoma: a cautionary tale. *Ann Surg Oncol*. 2020;27(suppl 3):850-851. [PMID: [32691339](#)]
- Fassnacht M, Arlt W, Bancos I, et al. Management of adrenal incidentalomas: European Society of Endocrinology Clinical Practice Guideline in collaboration with the European Network for the Study of Adrenal Tumors. *Eur J Endocrinol*. 2016;175(2):G1-G34. [PMID: [27390021](#)]
- ★ Fassnacht M, Dekkers OM, Else T, et al. European Society of Endocrinology clinical practice guidelines on the management of adrenocortical carcinoma in adults, in collaboration with the European Network for the Study of Adrenal Tumors. *Eur J Endocrinol*. 2018;179(4):G1-G46. [PMID: [30299884](#)]

Asplenia

- ★ Centers for Disease Control and Prevention. Asplenia and adult vaccination. Centers for Disease Control and Prevention. Reviewed May 2, 2016. Accessed August 2, 2022. <https://www.cdc.gov/vaccines/adults/rec-vac/health-conditions/asplenia.html>

Barrett's Esophagus

- Abela JE, Going JJ, Mackenzie JF, McKernan M, O'Mahoney S, Stuart RC. Systematic four-quadrant biopsy detects Barrett's dysplasia in more patients than nonsystematic biopsy. *Am J Gastroenterol*. 2008;103(4):850-855. [PMID: [18371135](#)]



2022 Complex General Surgical Oncology:

All References

- Ozmen V, Oran ES, Gorgun E, et al. Histologic and clinical outcome after laparoscopic Nissen fundoplication for gastroesophageal reflux disease and Barrett's esophagus. *Surg Endosc*. 2006;20(2):226-229. [PMID: [16362470](#)]
- ★ Sharma P, Shaheen NJ, Katzka D, Bergman JJGHM. AGA clinical practice update on endoscopic treatment of Barrett's esophagus with dysplasia and/or early cancer: expert review. *Gastroenterology*. 2020;158(3):760-769. [PMID: [31730766](#)]

Basal Cell Carcinoma

- Jacobsen AA, Aldahan AS, Hughes OB, Shah VV, Strasswimmer J. Hedgehog pathway inhibitor therapy for locally advanced and metastatic basal cell carcinoma: a systematic review and pooled analysis of interventional studies. *JAMA Dermatol*. 2016;152(7):816-824. [PMID: [27096888](#)]
- Shalhout SZ, Emerick KS, Kaufman HL, Miller DM. Immunotherapy for non-melanoma skin cancer. *Curr Oncol Rep*. 2021;23(11):125. [PMID: [34448958](#)]
- ★ Stratigos AJ, Sekulic A, Peris K, et al. Cemiplimab in locally advanced basal cell carcinoma after hedgehog inhibitor therapy: an open-label, multi-centre, single-arm, phase 2 trial. *Lancet Oncol*. 2021;22(6):848-857. [PMID: [34000246](#)]

Breast Cancer

- American Society of Breast Surgeons. Five things physicians and patients should question. Choosing Wisely. Published June 27, 2016. Accessed August 2, 2022. <https://www.choosingwisely.org/societies/american-society-of-breast-surgeons/>
- ★ Baker JL, Dizon DS, Wenziger CM, et al. "Going Flat" after mastectomy: patient-reported outcomes by online survey. *Ann Surg Oncol*. 2021;28(5):2493-2505. [PMID: [33393025](#)]
- ★ Breast cancer (Version 4.2022). National Comprehensive Cancer Network. Updated June 21, 2022. Accessed August 2, 2022. https://www.nccn.org/professionals/physician_gls/pdf/breast.pdf
- ★ Consensus guideline on genetic testing for hereditary breast cancer. The American Society of Breast Surgeons. Published February 10, 2019. Accessed August 2, 2022. <https://www.breastsurgeons.org/docs/statements/Consensus-Guideline-on-Genetic-Testing-for-Hereditary-Breast-Cancer.pdf>
- Giuliano AE, Ballman KV, McCall L, et al. Effect of axillary dissection vs no axillary dissection on 10-year overall survival among women with invasive breast cancer and sentinel node metastasis:



2022 Complex General Surgical Oncology:

All References

the ACOSOG Z0011 (Alliance) randomized clinical trial. *JAMA*. 2017;318(10):918-926. [PMID: [28898379](#)]

- ★ Kalinsky K, Barlow WE, Gralow JR, et al. 21-gene assay to inform chemotherapy benefit in node-positive breast cancer. *N Engl J Med*. 2021;385(25):2336-2347. [PMID: [34914339](#)]
- Korde LA, Somerfield MR, Carey LA, et al. Neoadjuvant chemotherapy, endocrine therapy, and targeted therapy for breast cancer: *ASCO guideline*. *J Clin Oncol*. 2021;39(13):1485-1505. [PMID: [33507815](#)]
- ★ Manahan ER, Kuerer HM, Sebastian M, et al. Consensus guidelines on genetic testing for hereditary breast cancer from the American Society of Breast Surgeons. *Ann Surg Oncol*. 2019;26(10):3025-3031. [PMID: [31342359](#)]
- Moran MS, Schnitt SJ, Giuliano AE, et al. Society of Surgical Oncology-American Society for Radiation Oncology consensus guideline on margins for breast-conserving surgery with whole-breast irradiation in stages I and II invasive breast cancer. *Int J Radiat Oncol Biol Phys*. 2014;88(3):553-564. [PMID: [24521674](#)]
- ★ Tutt ANJ, Garber JE, Kaufman B, et al. Adjuvant olaparib for patients with BRCA1- or BRCA2-mutated breast cancer. *N Engl J Med*. 2021;384(25):2394-2405. [PMID: [34081848](#)]
- Wakeley ME, Bare CF, Pine R, et al. A social media survey of women who do not pursue reconstruction after mastectomy for breast cancer: characterizing the "Going Flat" movement. *Breast J*. 2020;26(7):1455-1457. [PMID: [32067326](#)]
- ★ von Minckwitz G, Huang CS, Mano MS, et al. Trastuzumab emtansine for residual invasive HER2-positive breast cancer. *N Engl J Med*. 2019;380(7):617-628. [PMID: [30516102](#)]
- Zakon DB, Valero V. What is the best treatment recommendation for HER2+ IBC with residual disease?-a narrative review. *Chin Clin Oncol*. 2021;10(6):59. [PMID: [35016513](#)]

Clinical Trials

- ★ Adams-Campbell LL, Ahaghotu C, Gaskins M, et al. Enrollment of African Americans onto clinical treatment trials: study design barriers. *J Clin Oncol*. 2004;22(4):730-734. [PMID: [14966098](#)]
- Diehl KM, Green EM, Weinberg A, et al. Features associated with successful recruitment of diverse patients onto cancer clinical trials: report from the American College of Surgeons Oncology Group. *Ann Surg Oncol*. 2011;18(13):3544-3550. [PMID: [21681382](#)]



2022 Complex General Surgical Oncology:

All References

- Haslam A, Prasad V. When is crossover desirable in cancer drug trials and when is it problematic? *Ann Oncol*. 2018;29(5):1079-1081. [PMID: [29648572](#)]
- Umscheid CA, Margolis DJ, Grossman CE. Key concepts of clinical trials: a narrative review. *Postgrad Med*. 2011;123(5):194-204. [PMID: [21904102](#)]
- ★ Yeh J, Gupta S, Patel SJ, Kota V, Guddati AK. Trends in the crossover of patients in phase III oncology clinical trials in the USA. *Ecancermedicalscience*. 2020;14:1142. [PMID: [33343701](#)]

Colorectal Liver Metastases

- Buisman FE, Galjart B, van der Stok EP, et al. Recurrence patterns after resection of colorectal liver metastasis are modified by perioperative systemic chemotherapy. *World J Surg*. 2020;44(3):876-886. [PMID: [31410513](#)]
- Ignatavicius P, Oberkofler CE, Chapman WC, et al. Choices of therapeutic strategies for colorectal liver metastases among expert liver surgeons: a throw of the dice? *Ann Surg*. 2020;272(5):715-722. [PMID: [32833764](#)]
- ★ Viganò L, Procopio F, Cimino MM, et al. Is tumor detachment from vascular structures equivalent to R0 resection in surgery for colorectal liver metastases? An observational cohort. *Ann Surg Oncol*. 2016;23(4):1352-1360. [PMID: [26714946](#)]
- Wasan HS, Gibbs P, Sharma NK, et al. First-line selective internal radiotherapy plus chemotherapy versus chemotherapy alone in patients with liver metastases from colorectal cancer (FOXFIRE, SIRFLOX, and FOXFIRE-Global): a combined analysis of three multicentre, randomised, phase 3 trials. *Lancet Oncol*. 2017;18(9):1159-1171. [PMID: [28781171](#)]

Desmoid Tumors

- ★ Desmoid Tumor Working Group. The management of desmoid tumours: a joint global consensus-based guideline approach for adult and paediatric patients. *Eur J Cancer*. 2020;127:96-107. [PMID: [32004793](#)]
- Tsukamoto S, Takahama T, Mavrogenis AF, Tanaka Y, Tanaka Y, Errani C. Clinical outcomes of medical treatments for progressive desmoid tumors following active surveillance: a systematic review. *Musculoskelet Surg*. 2022;10.1007/s12306-022-00738-x. [PMID: [35150408](#)]

Diagnostic Imaging

- ★ Consensus guideline on diagnostic and screening magnetic resonance imaging of the breast. The American Society of Breast Surgeons. Published June 22, 2017. Accessed August 2, 2022.



2022 Complex General Surgical Oncology:

All References

<https://www.breastsurgeons.org/docs/statements/Consensus-Guideline-on-Diagnostic-and-Screening-Magnetic-Resonance-Imaging-of-the-Breast.pdf>

- Newman LA. Role of preoperative MRI in the management of newly diagnosed breast cancer patients. *J Am Coll Surg*. 2020;230(3):331-339. [PMID: [31945462](#)]

Esophageal Cancer and Masses

- Defize IL, Goense L, Borggreve AS, et al. Risk factors for tumor positive resection margins after neoadjuvant chemoradiotherapy for esophageal cancer: results from the Dutch upper GI cancer audit: a nationwide population-based study. *Ann Surg*. 2021;10.1097. Published online July 29, 2021. doi:10.1097/SLA.0000000000005112 [PMID: [34334634](#)]
- ★ Janjigian YY, Shitara K, Moehler M, et al. First-line nivolumab plus chemotherapy versus chemotherapy alone for advanced gastric, gastro-oesophageal junction, and oesophageal adenocarcinoma (CheckMate 649): a randomised, open-label, phase 3 trial. *Lancet*. 2021;398(10294):27-40. [PMID: [34102137](#)]
- Kamarajah SK, Phillips AW, Hanna GB, Low DE, Markar SR. Is local endoscopic resection a viable therapeutic option for early clinical stage T1a and T1b esophageal adenocarcinoma? A propensity-matched analysis. *Ann Surg*. 2022;275(4):700-705. [PMID: [32541217](#)]
- Kelly RJ, Ajani JA, Kuzdzal J, et al. Adjuvant nivolumab in resected esophageal or gastroesophageal junction cancer. *N Engl J Med*. 2021;384(13):1191-1203. [PMID: [33789008](#)]
- Lichtenberger JP 3rd, Zeman MN, Dulberger AR, Alqutub S, Carter BW, Manning MA. Esophageal neoplasms: radiologic-pathologic correlation. *Radiol Clin North Am*. 2021;59(2):205-217. [PMID: [33551082](#)]
- Ma LX, Espin-Garcia O, Lim CH, et al. Impact of adjuvant therapy in patients with a microscopically positive margin after resection for gastric and esophageal cancers. *J Gastrointest Oncol*. 2020;11(2):356-365. [PMID: [32399276](#)]
- ★ Markar SR, Gronnier C, Duhamel A, et al. Significance of microscopically incomplete resection margin after esophagectomy for esophageal cancer. *Ann Surg*. 2016;263(4):712-718. [PMID: [26135681](#)]
- ★ Milito P, Asti E, Aiolfi A, Zanghi S, Siboni S, Bonavina L. Clinical outcomes of minimally invasive enucleation of leiomyoma of the esophagus and esophagogastric junction. *J Gastrointest Surg*. 2020;24(3):499-504. [PMID: [30941689](#)]



2022 Complex General Surgical Oncology:

All References

- Molena D, Schlottmann F, Boys JA, et al. Esophagectomy following endoscopic resection of submucosal esophageal cancer: a highly curative procedure even with nodal metastases. *J Gastrointest Surg*. 2017;21(1):62-67. [PMID: [27561633](#)]
- ★ Otaki F, Ma GK, Krigel A, et al. Outcomes of patients with submucosal (T1b) esophageal adenocarcinoma: a multicenter cohort study. *Gastrointest Endosc*. 2020;92(1):31-39.e1. [PMID: [31953189](#)]
- Ramay FH, Vareedayah AA, Visrodia K, et al. What constitutes optimal management of T1N0 esophageal adenocarcinoma? *Ann Surg Oncol*. 2019;26(3):714-731. [PMID: [30607765](#)]

Gastrointestinal Stromal Tumors

- ★ Blay JY, Serrano C, Heinrich MC, et al. Ripretinib in patients with advanced gastrointestinal stromal tumours (INVICTUS): a double-blind, randomised, placebo-controlled, phase 3 trial. *Lancet Oncol*. 2020;21(7):923-934. [PMID: [32511981](#)]
- Demetri GD, Reichardt P, Kang YK, et al. Efficacy and safety of regorafenib for advanced gastrointestinal stromal tumours after failure of imatinib and sunitinib (GRID): an international, multicentre, randomised, placebo-controlled, phase 3 trial. *Lancet*. 2013;381(9863):295-302. [PMID: [23177515](#)]
- Demetri GD, van Oosterom AT, Garrett CR, et al. Efficacy and safety of sunitinib in patients with advanced gastrointestinal stromal tumour after failure of imatinib: a randomised controlled trial. *Lancet*. 2006;368(9544):1329-1338. [PMID: [17046465](#)]

Malignant Pleural Effusion

- Putnam JB Jr, Light RW, Rodriguez RM, et al. A randomized comparison of indwelling pleural catheter and doxycycline pleurodesis in the management of malignant pleural effusions. *Cancer*. 1999;86(10):1992-1999. [PMID: [10570423](#)]
- ★ Thomas R, Fysh ETH, Smith NA, et al. Effect of an indwelling pleural catheter vs talc pleurodesis on hospitalization days in patients with malignant pleural effusion: the AMPLE randomized clinical trial. *JAMA*. 2017;318(19):1903-1912. [PMID: [29164255](#)]

Melanoma

- ★ [Atkins MB, Lee SJ, Chmielowski B, et al. DREAMseq \(doublet, randomized evaluation in advanced melanoma sequencing\): a phase III trial-ECOG-ACRIN EA6134. *J Clin Oncol*. 2021;39\(suppl 36\):356154.](#)



2022 Complex General Surgical Oncology:

All References

- Long GV, Saw RPM, Lo S, et al. Neoadjuvant dabrafenib combined with trametinib for resectable, stage IIIB-C, BRAFV600 mutation-positive melanoma (NeoCombi): a single-arm, open-label, single-centre, phase 2 trial. *Lancet Oncol.* 2019;20(7):961-971. [PMID: [31171444](#)]
- ★ Luke JJ, Rutkowski P, Queirolo P, et al. Pembrolizumab versus placebo as adjuvant therapy in completely resected stage IIB or IIC melanoma (KEYNOTE-716): a randomised, double-blind, phase 3 trial. *Lancet.* 2022;399(10336):1718-1729. [PMID: [35367007](#)]
- ★ Rozeman EA, Menzies AM, van Akkooi ACJ, et al. Identification of the optimal combination dosing schedule of neoadjuvant ipilimumab plus nivolumab in macroscopic stage III melanoma (OpACIN-neo): a multicentre, phase 2, randomised, controlled trial. *Lancet Oncol.* 2019;20(7):948-960. [PMID: [31160251](#)]
- Spillane AJ, Menzies AM, van Akkooi ACJ. The Landmark Series: Neoadjuvant systemic therapy (NAST) for stage 3 melanoma patients - a potential paradigm shift in management. *Ann Surg Oncol.* 2020;27(7):2188-2200. [PMID: [32409966](#)]

Neuroendocrine Neoplasms

- Deprez PH, Moons LMG, O'Toole D, et al. Endoscopic management of subepithelial lesions including neuroendocrine neoplasms: European Society of Gastrointestinal Endoscopy (ESGE) guideline. *Endoscopy.* 2022;54(4):412-429. [PMID: [35180797](#)]
- ★ Thakker RV, Newey PJ, Walls GV, et al. Clinical practice guidelines for multiple endocrine neoplasia type 1 (MEN1). *J Clin Endocrinol Metab.* 2012;97(9):2990-3011. [PMID: [22723327](#)]
- Triponez F, Dosseh D, Goudet P, et al. Epidemiology data on 108 MEN 1 patients from the GTE with isolated nonfunctioning tumors of the pancreas. *Ann Surg.* 2006;243(2):265-272. [PMID: [16432361](#)]
- ★ van Beek DJ, Nell S, Verkooijen HM, et al. Prognosis after surgery for multiple endocrine neoplasia type 1-related pancreatic neuroendocrine tumors: functionality matters. *Surgery.* 2021;169(4):963-973. [PMID: [33220975](#)]

Pancreatic Adenocarcinoma

- ★ Murphy JE, Wo JY, Ryan DP, et al. Total neoadjuvant therapy with FOLFIRINOX followed by individualized chemoradiotherapy for borderline resectable pancreatic adenocarcinoma: a phase 2 clinical trial. *JAMA Oncol.* 2018;4(7):963-969. [PMID: [29800971](#)]



2022 Complex General Surgical Oncology:

All References

- Perri G, Prakash L, Qiao W, et al. Response and survival associated with first-line FOLFIRINOX vs gemcitabine and nab-paclitaxel chemotherapy for localized pancreatic ductal adenocarcinoma. *JAMA Surg.* 2020;155(9):832-839. [PMID: [32667641](#)]
- Versteijne E, van Dam JL, Suker M, et al. Neoadjuvant chemoradiotherapy versus upfront surgery for resectable and borderline resectable pancreatic cancer: long-term results of the Dutch randomized PREOPANC trial. *J Clin Oncol.* 2022;40(11):1220-1230. [PMID: [35084987](#)]

Pheochromocytoma

- Lefebvre M, Foulkes WD. Pheochromocytoma and paraganglioma syndromes: genetics and management update. *Curr Oncol.* 2014;21(1):e8-e17. [PMID: [24523625](#)]
- ★ Lenders JW, Duh QY, Eisenhofer G, et al. Pheochromocytoma and paraganglioma: an endocrine society clinical practice guideline. *J Clin Endocrinol Metab.* 2014;99(6):1915-1942. [PMID: [24893135](#)]

Phyllodes Tumors of the Breast

- Ofri A, Stuart KE, Chan B, et al. Diagnosis and management of phyllodes tumours for the surgeon: an algorithm. *Surgeon.* 2022;S1479-666X(22)00020-8. [PMID: [35148937](#)]
- Ouyang Q, Li S, Tan C, et al. Benign phyllodes tumor of the breast diagnosed after ultrasound-guided vacuum-assisted biopsy: surgical excision or wait-and-watch? *Ann Surg Oncol.* 2016;23(4):1129-1134. [PMID: [26577125](#)]
- Wen B, Mousadoust D, Warburton R, et al. Phyllodes tumours of the breast: outcomes and recurrence after excision. *Am J Surg.* 2020;219(5):790-794. [PMID: [32145921](#)]

Rectal Cancer

- ★ Bahadoer RR, Dijkstra EA, van Etten B, et al. Short-course radiotherapy followed by chemotherapy before total mesorectal excision (TME) versus preoperative chemoradiotherapy, TME, and optional adjuvant chemotherapy in locally advanced rectal cancer (RAPIDO): a randomised, open-label, phase 3 trial. *Lancet Oncol.* 2021;22(1):29-42. [PMID: [33301740](#)]
- ★ Conrad C, Vauthey JN, Masayuki O, et al. Individualized treatment sequencing selection contributes to optimized survival in patients with rectal cancer and synchronous liver metastases. *Ann Surg Oncol.* 2017;24(13):3857-3864. [PMID: [28929463](#)]
- ★ Ogura A, Konishi T, Cunningham C, et al. Neoadjuvant (chemo)radiotherapy with total mesorectal excision only is not sufficient to prevent lateral local recurrence in enlarged nodes:



2022 Complex General Surgical Oncology:

All References

results of the multicenter lateral node study of patients with low cT3/4 rectal cancer. *J Clin Oncol*. 2019;37(1):33-43. [PMID: [30403572](#)]

Retroperitoneal Sarcoma

- Bonvalot S, Gronchi A, Le Péchoux C, et al. Preoperative radiotherapy plus surgery versus surgery alone for patients with primary retroperitoneal sarcoma (EORTC-62092: STRASS): a multicentre, open-label, randomised, phase 3 trial. *Lancet Oncol*. 2020;21(10):1366-1377. [PMID: [32941794](#)]
- Callegaro D, Barretta F, Swallow CJ, et al. Longitudinal prognostication in retroperitoneal sarcoma survivors: development and external validation of two dynamic nomograms. *Eur J Cancer*. 2021;157:291-300. [PMID: [34555648](#)]
- Miura JT, Charlson J, Gamblin TC, et al. Impact of chemotherapy on survival in surgically resected retroperitoneal sarcoma. *Eur J Surg Oncol*. 2015;41(10):1386-1392. [PMID: [26251340](#)]
- Nessim C, Raut CP, Callegaro D, et al. Analysis of differentiation changes and outcomes at time of first recurrence of retroperitoneal liposarcoma by Transatlantic Australasian Retroperitoneal Sarcoma Working Group (TARPSWG). *Ann Surg Oncol*. 2021;28(12):7854-7863. [PMID: [33907921](#)]
- Nussbaum DP, Rushing CN, Lane WO, et al. Preoperative or postoperative radiotherapy versus surgery alone for retroperitoneal sarcoma: a case-control, propensity score-matched analysis of a nationwide clinical oncology database. *Lancet Oncol*. 2016;17(7):966-975. [PMID: [27210906](#)]
- ★ Raut CP, Callegaro D, Miceli R, et al. Predicting survival in patients undergoing resection for locally recurrent retroperitoneal sarcoma: a study and novel nomogram from TARPSWG. *Clin Cancer Res*. 2019;25(8):2664-2671. [PMID: [30723141](#)]
- ★ Tseng WW, Barretta F, Conti L, et al. Defining the role of neoadjuvant systemic therapy in high-risk retroperitoneal sarcoma: a multi-institutional study from the Transatlantic Australasian Retroperitoneal Sarcoma Working Group. *Cancer*. 2021;127(5):729-738. [PMID: [33206381](#)]

Squamous Cell Carcinoma of the Skin

- Claveau J, Archambault J, Ernst DS, et al. Multidisciplinary management of locally advanced and metastatic cutaneous squamous cell carcinoma. *Curr Oncol*. 2020;27(4):e399-e407. [PMID: [32905333](#)]
- ★ Likhacheva A, Awan M, Barker CA, et al. Definitive and postoperative radiation therapy for basal and squamous cell cancers of the skin: executive summary of an American Society for



2022 Complex General Surgical Oncology:

All References

Radiation Oncology clinical practice guideline. *Pract Radiat Oncol*. 2020;10(1):8-20. [PMID: [31831330](#)]

- Migden MR, Khushalani NI, Chang ALS, et al. Cemiplimab in locally advanced cutaneous squamous cell carcinoma: results from an open-label, phase 2, single-arm trial. *Lancet Oncol*. 2020;21(2):294-305. [PMID: [31952975](#)]

Thyroid Carcinoma/Thyroid Disease

- ★ Geramizadeh B, Maleki Z. Non-invasive follicular thyroid neoplasm with papillary-like nuclear features (NIFTP): a review and update. *Endocrine*. 2019;64(3):433-440. [PMID: [30868412](#)]
- Grant EG, Tessler FN, Hoang JK, et al. Thyroid ultrasound reporting lexicon: white paper of the ACR Thyroid Imaging, Reporting and Data System (TI-RADS) committee. *J Am Coll Radiol*. 2015;12(12 Pt A):1272-1279. [PMID: [26419308](#)]
- Haddad RI, Nasr C, Bischoff L, et al. NCCN guidelines insights: thyroid carcinoma, version 2.2018. *J Natl Compr Canc Netw*. 2018;16(12):1429-1440. [PMID: [30545990](#)]
- Haugen BR, Alexander EK, Bible KC, et al. 2015 American Thyroid Association management guidelines for adult patients with thyroid nodules and differentiated thyroid cancer: the American Thyroid Association guidelines task force on thyroid nodules and differentiated thyroid cancer. *Thyroid*. 2016;26(1):1-133. [PMID: [26462967](#)]
- Park S, Kim WG, Song E, et al. Dynamic risk stratification for predicting recurrence in patients with differentiated thyroid cancer treated without radioactive iodine remnant ablation therapy. *Thyroid*. 2017;27(4):524-530. [PMID: [27869547](#)]
- ★ Patel KN, Yip L, Lubitz CC, et al. The American Association of Endocrine Surgeons guidelines for the definitive surgical management of thyroid disease in adults. *Ann Surg*. 2020;271(3):e21-e93. [PMID: [32079830](#)]
- Robenshtok E, Fish S, Bach A, Domínguez JM, Shaha A, Tuttle RM. Suspicious cervical lymph nodes detected after thyroidectomy for papillary thyroid cancer usually remain stable over years in properly selected patients. *J Clin Endocrinol Metab*. 2012;97(8):2706-2713. [PMID: [22639292](#)]
- Rondeau G, Fish S, Hann LE, Fagin JA, Tuttle RM. Ultrasonographically detected small thyroid bed nodules identified after total thyroidectomy for differentiated thyroid cancer seldom show clinically significant structural progression. *Thyroid*. 2011;21(8):845-853. [PMID: [21809914](#)]



2022 Complex General Surgical Oncology:

All References

- Ross DS, Burch HB, Cooper DS, et al. 2016 American Thyroid Association guidelines for diagnosis and management of hyperthyroidism and other causes of thyrotoxicosis. *Thyroid*. 2016;26(10):1343-1421. [PMID: [27521067](#)]
- ★ Tessler FN, Middleton WD, Grant EG, et al. ACR Thyroid Imaging, Reporting and Data System (TI-RADS): white paper of the ACR TI-RADS committee. *J Am Coll Radiol*. 2017;14(5):587-595. [PMID: [28372962](#)]
- Wilhelm SM, Wang TS, Ruan DT, et al. The American Association of Endocrine Surgeons guidelines for definitive management of primary hyperparathyroidism. *JAMA Surg*. 2016;151(10):959-968. [PMID: [27532368](#)]